



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/726,694	12/04/2003	Tom Francke	19200-000026/US	5644
30593	7590	12/23/2005	EXAMINER	
HARNESS, DICKEY & PIERCE, P.L.C.			KAO, CHIH CHENG G	
P.O. BOX 8910			ART UNIT	
RESTON, VA 20195			PAPER NUMBER	
			2882	

DATE MAILED: 12/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

AK

Office Action Summary	Application No.		Applicant(s)	
	10/726,694		FRANCKE ET AL.	
	Examiner		Art Unit	
	Chih-Cheng Glen Kao		2882	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 November 2005.
 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-16 and 21 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☐ Claim(s) _____ is/are allowed.
 6) ☒ Claim(s) 1,3-16 and 21 is/are rejected.
 7) ☐ Claim(s) _____ is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☒ The drawing(s) filed on 04 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☒ All b) ☐ Some * c) ☐ None of:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1, 3-16, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Komardin et al. (US Patent 6175117) in view of Francke (US Patent 6476397).

2. Regarding claim 1, Komardin et al. discloses an apparatus and method comprising a radiation source arrangement for creating a radiation beam (fig. 10, #30) centered around an axis of symmetry (fig. 10, axis defined by #42), which radiation beam is directed through an examination object (fig. 10, #32), and a radiation detector arrangement comprising a stack of detector units (figs. 1-4, #28), each being directed towards a small portion of a trajectory of said radiation beam in said examination object to allow a respective substantially fan-shaped ray bundle of said radiation beam (fig. 1, beams to #40) as coherently scattered (col. 3, line 44) in said examination object to enter a respective detector unit and be detected therein, said detector units are formed and oriented (fig. 4, #28) so as to allow simultaneous recording of coherent scatter imaging data (col. 4, lines 40-44) sufficient to form a plurality of one-dimensional images, each being composed from radiation coherently scattered in said examination object in a respective angle (fig. 1), and wherein detector units are direction sensitive (fig. 6a, #28) and

Art Unit: 2882

directed towards different positions (fig. 6a, left and right positions in #32 defined by scattered beams to #40) along the trajectory of the radiation beam in said examination object (fig. 6a, #32) so that different fan-shaped ray bundles of said radiation beam are coherently scattered (col. 3, line 44) in different small portions of said examination object enter different ones of said detector units and are detected therein, thus allowing a signal from each of said detector units (fig. 4, #28) to be used to form one of said plurality of one-dimensional images (col. 4, lines 40-44).

However, Komardin et al. fails to specifically disclose ionizing radiation and wherein each line detector unit has an elongated opening for entry of the respective fan-shaped ray bundle, a row of individual detector elements arranged essentially parallel with said elongated opening, and is of the kind wherein charges or photons, generated by interactions between the respective fan-shaped ray bundle and a detection medium within a respective line detector unit and traveling in a direction essentially perpendicular to the respective fan-shaped ray bundle, are detected by said row of individual detector elements formed and oriented in a respective angle.

Francke teaches ionizing radiation (title) and wherein each line detector unit has an elongated opening (fig. 7, #9) for entry of the respective fan-shaped ray bundle (col. 12, lines 42-43), a row of individual detector elements arranged essentially parallel with said elongated opening (fig. 6, #47), and is of the kind wherein charges or photons, generated by interactions between the respective fan-shaped ray bundle and a detection medium (col. 5, lines 1-5) within a respective line detector unit and traveling in a direction essentially perpendicular to the fan-shaped ray bundle (fig. 1), are detected by said row of individual detector elements formed and oriented in a respective angle (fig. 7, #9).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Komardin et al. with the radiation and detector elements of Francke, since one would be motivated to make such a modification to improve spatial and energy resolution (col. 1, lines 50-60) and to lower costs (col. 1, lines 60-65) as shown by Francke.

3. Regarding claims 3, 4, 10, 11, 16, and 21, and for purposes of being concise, Komardin et al. as modified suggests an apparatus and method as recited. Komardin et al. further discloses wherein detector units are direction sensitive (fig. 6a, #28) and are directed towards different positions or a single small portion (fig. 6a, left and right positions in #32 defined by scattered beams to #40) along the trajectory of the radiation beam in said examination object (fig. 6a, #32) to allow substantially fan-shaped ray bundles of said radiation beam as coherently scattered in said examination object in different angles (fig. 6a, bundle on far right and left) to enter different ones of said detector units and be detected therein (fig. 6a, #40), which directions define angles (fig. 6a, bundle on far right and far left) with respect to said axis of symmetry in a plane (fig. 6a, axis going from #20 to 28), in which said axis of symmetry and said stack of detector units are located, which angles have the same magnitude (fig. 6a, bundles on far right and far left).

However, Komardin et al. fails to specifically disclose openings of line detector units being parallel with substantially line-shaped cross-sections of a radiation beam, the row of detector elements of each of said line detector units essentially orthogonal to a plane, in which said axis of symmetry and said stack of line detector units are located, and the detector elements of each of said line detector units are separated, elongated, and directed so that their extension

Art Unit: 2882

lines converge in a respective point in said different small portions, and therefore detect different angular positions of the fan-shaped ray bundle entered into the respective line detector unit thus allowing a signal from each of said line detector units to be used to form each of said plurality of one-dimensional images.

Francke teaches openings of line detector units (fig. 7, #9) being parallel with substantially line-shaped cross-sections of a radiation beam (fig. 7, #1), the row of detector elements (figs. 5 and 6, #47) of each of said line detector units (fig. 7, #9) essentially orthogonal to a plane, in which said axis of symmetry (fig. 7, middle ray of #1) and said stack of line detector units (fig. 7, #9) are located, and the detector elements of each of said line detector units are separated (fig. 5, #47), elongated, and directed (fig. 6, #47) so that their extension lines converge in a respective point, and therefore detect different angular positions of the fan-shaped ray bundle (fig. 7) entered into the respective line detector unit thus allowing a signal from each of said line detector units to be used to form each of said plurality of one-dimensional images (col. 11, lines 3-4).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus and method of Komardin et al. as modified above with the radiation and detector of Francke, since one would be motivated to make such a modification to improve spatial and energy resolution (col. 1, lines 50-60) and to lower costs (col. 1, lines 60-65) as shown by Francke.

4. Regarding claims 5 and 12, Komardin et al. further discloses the radiation detector arrangement comprising a detector unit (fig. 9, #28) arranged in a path of said radiation beam

(fig. 9, #30) to measure transmission (fig. 9, #38) through said examination object (fig. 9, #32) simultaneously with simultaneous recording of coherent scatter imaging data (fig. 9, #40).

5. Regarding claims 6, 7, 13, and 14, Komardin et al. as modified above suggests an apparatus as recited above.

However, Komardin et al. fails to disclose a gaseous-based parallel plate, avalanche amplification detector.

Francke further teaches a gaseous-based parallel plate (fig. 5, #53), avalanche amplification (col. 1, lines 50-56) detector.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Komardin et al. as modified above with the detector of Francke, since one would be motivated to make such a modification to improve spatial and energy resolution (col. 1, lines 50-60) and to lower costs (col. 1, lines 60-65) as shown by Francke.

6. Regarding claims 8, 9, and 15, Komardin et al. further discloses a device for moving said radiation source and detector arrangement relative to said examination object in two different directions in a plane (fig. 11, #70) orthogonal to said axis of symmetry (fig. 11, axis defined by beam from #20 to 28), while said detector units (fig. 11, #28) are together adapted to record a plurality of images of radiation as scattered in said examination object (fig. 11, #32) in a plurality of different angles (fig. 11, angles created by #70) to thereby produce coherent scattering imaging data sufficient to form a plurality of two-dimensional or three-dimensional images (col.

11, lines 55-63), each being composed from radiation as coherently scattered in said examination object in a respective angle.

Response to Arguments

7. Applicants' arguments with respect to claims 1, 3-16, and 21 have been considered but are moot in view of the new ground(s) of rejection. Applicants' arguments filed 11/10/05 have been fully considered but they are not persuasive.

8. Applicants argue that the detector elements of Komardin et al. are not direction sensitive. The Examiner disagrees. If the detector elements (fig. 6a, #40) were turned to their side, the detector elements would not obtain the same signal as they would in figure 6a. Therefore, the detector elements are sensitive to direction.

Applicants further argue that Komardin et al. fails to disclose each detector unit being directed towards a small portion of a trajectory. Applicants also argue that the positions (left, right #32) are along different trajectories and along different beams. The Examiner disagrees with this logic. Each detector unit (fig. 6a, #40) is directed towards a small portion of a trajectory. The detector unit on the left, for example, is directed towards a small portion of a trajectory (fig. 6a, #32 on the left). The detector unit on the right, for example, is also directed towards a small portion of a trajectory (fig. 6a, #32 on the right). Therefore, each detector unit is directed towards a small portion of a trajectory, regardless of whether they are along different trajectories or along different beams. Each detector unit is still directed towards a small portion of a trajectory.

Applicants further argue that Komardin et al. fails to disclose detector units "directed towards a single small portion of a trajectory of said radiation beam in said examination unit to allow substantially fan-shaped ray bundles of said radiation beam as coherently scattered in said examination object in different angles to enter different ones of" said detector units. The Examiner disagrees. This is shown in figure 6a of Komardin et al.

In conclusion, Applicants' arguments are not persuasive, and the claims remain rejected.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chih-Cheng Glen Kao whose telephone number is (571) 272-2492. The examiner can normally be reached on M - F (9 am to 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



gk



EDWARD J. GLICK
SUPERVISORY PATENT EXAMINER